

Work Order ID 151584

Friday, September 30, 2016 9:00:58 AM

151584

Page 1

Item ID: D139-799-033

Accept

N900040100

Setup Start

NS1

Revision ID:

Stop

NS2

Item Name: OEM Maintenance Step Cable Replacement

Start Date: 9/30/2016 Start Qty: 2.00

2

Cust Item ID:

Required Date: 10/14/2016 Req'd Qty: 2.00

2

Customer:

Reference:

DAS
21
9-89

Approvals: Process Plan: Date: SEP 30 2016

Tooling:

Date:

Run Start

NR1

QC:

Date:

SPC (Y/N):

Date:

Stop

NR2

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr	Revision Nbr
IIN-D139-799	K

DAS
21
9-89DAS
6
9-89

SEP 30 2016

DAS
21
9-89

16-10-03

100

0.00

100

DC

Memo

0.00

Doc.Control -USB or Paperwork

Photocopy bluefile & type labels per PPP D139-799-033
CHG002DAS
27
9-89

OCT 27 2016

110

Pick Kit

0.00

110

Packaging

Memo

0.00

Packaging

Z OCT 03 2016

DAS
6
9-89DAS
28
9-89

120

QC4- 100% Inspect kits for completeness

0.00

120

QC

Memo

0.01

Quality Control

DAS
27
9-89

OCT 27 2016

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐																																																													
Date :		Step #:		QTY Effective :				MRB (QSI042) Approval																																																									
Description Work Order Deviation				Disposition				Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval																																																									
Root Cause		FAULT CATEGORY																																																															
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐	Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐	Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐	Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐	Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐	Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐	Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐	Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐	LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐	Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐	Past Expiry Date ☐	Manufacturing Process ☐	OTHER :			
Misidentified ☐	Past Due ☐																																																																

Work Order ID 151584

Friday, September 30, 2016 9:00:58 AM

151584

Page 2

Item ID: D139-799-033

Accept

N900040100Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: OEM Maintenance Step Cable Replacement

Start Date: 9/30/2016 Start Qty: 2.00 ***2***

Cust Item ID:

Required Date: 10/14/2016 Req'd Qty: 2.00 ***2***

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start ***NR1***

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
130		0.00							
130									
Packaging	Memo	0.00							
Packaging	Identify and pack for shipping as per PPP D139-799-033								
	Location: _____								
	PPP rev: _____ fs 028								
140	QC21- Final Inspection - Work Order Release	0.00							
140									
QC	Memo	0.03							
Quality Control									

DAS
27
9-89**DAS**
28
9-89**OCT 27 2016****DAS**
21
9-89**OCT 27 2016****DAS**
21
9-89**OCT 27 2016**

DQA: _____ Date: _____

WORK ORDER NON-CONFORMANCE / UPDATE



QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By	
237 15 18-6 240 15 18-6								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐	OTHER :							
Misidentified ☐	Past Due ☐								

Picklist Print

Friday, September 30, 2016 9:01:19 AM

Page 1

Work Order ID: 151584

151584

Parent Item: D139-799-033

D139-799-033

Parent Item Name: OEM Maintenance Step Cable Replacement

Start Date: 9/30/2016

Required Date: 10/14/2016

Start Qty: 2.00

Required Qty: 2.00

Comments: IPP REV:A 14.05.26 chg001/ ECN14-567 DD VERF:JLM

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
AN525-832R10 *AN525-832R10* SCREW		Purchased	No				Each	90.0000	4 **	8			
				<u>Location</u>			<u>Loc Qty</u>	<u>Loc Code</u>				OCT 03 2016	DAS 28 9-89 6 9-89
				ST326			89						
				m134754			89						
				ST328			1						
				m128936			1						
AN525-832R14 *AN525-832R14* Screw		Purchased	No				Each	52.0000	8 **	16			
				<u>Location</u>			<u>Loc Qty</u>	<u>Loc Code</u>				OCT 03 2016	DAS 28 9-89 6 9-89
				ST328			52						
				m134512			52						
AN525-832R9 *AN525-832R9* Screw		Purchased	No				Each	76.0000	4 **	8			
				<u>Location</u>			<u>Loc Qty</u>	<u>Loc Code</u>				OCT 03 2016	DAS 28 9-89 6 9-89
				ST328			76						
				m134513			76						
D5039-5 *D5039-5* Half Link		Manufactured	No				Each	20.0000	4 **	8			
				<u>Location</u>			<u>Loc Qty</u>	<u>Loc Code</u>				OCT 03 2016	DAS 28 9-89 6 9-89
				ST144			20						
				142339			20						

DQA: _____ Date: _____

WORK ORDER NON-CONFORMANCE / UPDATE



QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐																																																													
Date : _____		Step #: _____		QTY Effective : _____				MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval																																																									
Description Work Order Deviation				Disposition																																																													
Root Cause		FAULT CATEGORY																																																															
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐	Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐	Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐	Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐	Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐	Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐	Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐	Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐	LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐	Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐	Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____			
Misidentified ☐	Past Due ☐																																																																

Picklist Print

Friday, September 30, 2016 9:01:19 AM

Page 2

Work Order ID: 151584

151584

Parent Item: D139-799-033

D139-799-033

Parent Item Name: OEM Maintenance Step Cable Replacement

Start Date: 9/30/2016

Required Date: 10/14/2016

Start Qty: 2.00

Required Qty: 2.00

D5348-1 Manufactured No

Each 0.0000

D5348-1

Doubler

MS21042L08

Purchased No

Each 854.0000

MS21042L08

Nut

**

4 8
15/588
OCT 27 2016

DAS 6 28
9-89 9-89

**

8 16

DAS 6 28
9-89 9-89

Location

Loc Qty

Loc Code

OCT 03 2016

GA 118
m134063 18
m135274 100
ST303 736
m135536 136
m135566 200
m135672 200
m135766 200

16

NAS1149C0332R

Purchased No

Each 4,552.000

NAS1149C0332R

WASHER

**

6 12

DAS 6 28
9-89 9-89

Location

Loc Qty

Loc Code

OCT 03 2016

FP001 904
m135274 904
GA 101
m133284 101
ST260a 2000
m135466 1000
m135672 1000
ST266 1547
m134736 85
m135408 962
m135766 500

12

Friday, September 30, 2016 9:01:19 AM

Shop Packet Print

Page 2

DQA: _____ Date: _____

WORK ORDER NON-CONFORMANCE / UPDATE



QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐																																																													
Date : _____		Step # : _____		QTY Effective : _____			MRB (QSI042) Approval																																																										
Description Work Order Deviation				Disposition				Completed By _____ Lead hand / Supervisor _____ Approval Verification _____ QC / QA Coordinator Approval _____																																																									
Root Cause		FAULT CATEGORY																																																															
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐	Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐	Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐	Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐	Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐	Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐	Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐	Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐	LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐	Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐	Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____			
Misidentified ☐	Past Due ☐																																																																

Picklist Print

Friday, September 30, 2016 9:01:19 AM

Page 3

Work Order ID: 151584

151584

Parent Item: D139-799-033

D139-799-033

Parent Item Name: OEM Maintenance Step Cable Replacement

Start Date: 9/30/2016

Required Date: 10/14/2016

Start Qty: 2.00

Required Qty: 2.00

D5039-3 Manufactured No

Each 146.0000 8 16

D5039-3

Master Link

**

OCT 03 2016 DAS 6 28 9-89

Location

Loc Qty

Loc Code

ST144

146

149039

146

Each

30.0000

**

OCT 03 2016 DAS 6 28 9-89

D5040-1 Manufactured No

D5040-1

Chain

Location

Loc Qty

Loc Code

ST144

30

130296

2

142341

28

Each

7.0000

**

OCT 03 2016 DAS 6 28 9-89

D5041-1 Manufactured No

D5041-1

Scuff Guard

Location

Loc Qty

Loc Code

ST144

7

130295

1

142338

6

DQA: _____ Date: _____

**WORK ORDER NON-CONFORMANCE / UPDATE**

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date : _____		Step #: _____		QTY Effective : _____			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____							
Misidentified ☐	Past Due ☐								

Page 1

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
100	Draw Nbr IIN-D139-799	Revision Nbr K	DAS 21	6	SEP 30 2016	DAS 21 9-89		OCT 03 2016	
100	DC								
Doc.Control -USB or Paperwork	Memo Photocopy bluefile & type labels per PPP D139-799-033 CHG002	0.00							
110	Pick Kit	0.00							
110	Packaging								
Packaging	Memo	0.00							
120	QC4- 100% Inspect kits for completeness	0.00							
120	QC								
Quality Control	Memo	0.01							

Qty -033	Qty -013	Part Number	Description
	X	D139-799-013	CARGO DOOR HINGE KIT
X		D139-799-033	OEM MAINTENANCE-STEP CABLE REPLACEMENT KIT
	1	D2585	MOUNTING CHANNEL
	1	D2586	DOOR LATCH
	1	D2621	LATCH PLATE
	1	D3552-23	DOOR PROP
	1	D3622-1	BALL STUD
	1	D3622-3	BALL STUD
	2	D4072-1	AIRFRAME HINGE
	2	D4072-3	AIRFRAME HINGE BACKING PLATE
	4	D4072-5	BUSHING
	2	D4073-1	DOOR HINGE
	2	D4073-3	DOOR HINGE BACKING PLATE
	1	D4074-1	BRACKET
	1	D4074-3	CHANNEL
	1	D4074-5	BACKING PLATE
	1	D4074-7	STRIKER PLATE
	1	D4074-9	BACKING PLATE
	1	D4519-1	RELAY BRACKET
	1	D4632-1	STRIKER PLATE
	1	D4632-2	STRIKER PLATE
	1	D4761-1	SHIM BLOCK
8		D5039-3	MASTER LINK
4		D5039-5	HALF LINK
4		D5040-1	CHAIN ASSEMBLY
4		D5041-1	SCUFF GUARD
4		D5348-1	DOUBLER
	1	IN4007	DIODE
	4	AN507-1032R12	SCREW
	4	AN507-1032R15	SCREW
4		AN525-832R9	SCREW
4		AN525-832R10	SCREW
8		AN525-832R14	SCREW
	1	M12883-41-19	RELAY BASE
	4	M39029/92-534	SOCKET CONTACT
	1	M83536/9-024M	RELAY
8	8	MS21042L08	NUT (or MS21042-08)
	32	MS21042L3	NUT (or MS21042-3)
	1	MS21042L5	NUT (or MS21042-5)
	8	MS24694-S47	SCREW
	8	MS27039-0807	SCREW
	8	MS27039-1-10	SCREW
	2	MS27039-1-14	SCREW
	8	MS27039-1-16	SCREW
	1	MS27039-1-17	SCREW
6		NAS1149C0332R	WASHER
	18	NAS1149D0363J	WASHER (or AN960JD10)
	1	NAS1149D0663J	WASHER (or AN960JD616)
	12	NAS1149D0332J	WASHER (or AN960JD10L)
	8	NAS1149DN832J	WASHER (or AN960JD8)
	4	NAS1515H-5L	WASHER